Intergence Search.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(document and message\$2 and (back near2 office near2 system) and transfer\$4 and chang\$4 and integrat\$4 and (web\$6 near3 application) and (primary near3 key) and timestamp\$2 and database and (unique near3 inbound) and synchronous).CLM.	US-PGPUB	OR	ON	2006/09/28 10:21
L2	0	(synchronous with time with sequence with timestamp with more with recent with inbound with message).CLM.	US-PGPUB	OR	ON	2006/09/28 10:22
L3	0	(updat\$4 with (web\$7 near3 application) with record\$4 with inbound with message with recent with timestamp with unique).CLM.	US-PGPUB	OR	ON	2006/09/28 10:24
L4	0	(operat\$4 with database with (web\$7 near2 application) with inbound with message with (primary near3 key) with timestamp\$2).CLM.	US-PGPUB	OR	ON	2006/09/28 10:25
L5	0	(compar\$4 with (primary near3 key) with inbound with (document message) with application).CLM.	US-PGPUB	OR	ON	2006/09/28 10:26
L6	0	(select\$4 with pair with correspond\$4 with (document message) with (primary near3 (code\$2 key)) with inbound).CLM.	US-PGPUB	OR	ON	2006/09/28 10:27
L7	0	(more with recent with (document message) with (pair near3 select\$4) with timestamp\$2).CLM.	US-PGPUB	OR	ON	2006/09/28 10:28
L8	0	((primary near3 key) with document with type with (id identification)).CLM.	US-PGPUB	OR	ON	2006/09/28 10:29
L9	0	((inbound near3 queue) with (web\$7 near3 application) with database). CLM.	US-PGPUB	OR	ON	2006/09/28 10:32
L10	195	(((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:38
L11	106	(((message\$2 file\$2 document\$2) with (time timestamp\$2 date) with (type (document near3 type) (primary near3 (key code))) with (id\$2 identification ((file document message) near3 (name id identification))))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:39

				,		
L16	4	((((updat\$4 near4 (file document))) and (compar\$4 same (((document file) near3 type) and (id identification name)))) and (time timestamp)).CLM.	US-PGPUB	OR	ON	2006/09/28 10:42
L17	1	((document near3 type\$2) same ((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:42
L18	0	((inbound same (timestamp\$2 and ((primary near2 (key code)) (file near2 (name type)))))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:43
L19	0	((((((((((message\$2 file\$2 document\$2) with (time timestamp\$2 date) with (type (document near3 type) (primary near3 (key code))) with (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4).CLM.	US-PGPUB	OR	ON	2006/09/28 10:53
L21	1	(back near3 office near3 (system with computer with server)).CLM.	US-PGPUB	OR	ON	2006/09/28 10:55
L22	1	((document near3 type\$2) same ((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:56
L23	0	(((order near3 confirmation) and (order near3 delivery) and (invoice) and ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))).CLM.	US-PGPUB	OR	ON	2006/09/28 10:57
L25	2	(process\$4 same (time\$2 near3 sequen\$4) same (timestamp\$2)).CLM.	US-PGPUB	OR	ON	2006/09/28 10:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	10694	707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 10:58
L27	1601	715/511,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 10:58
L28 .	9454	709/223,229,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 10:58
L29	290	(((updat\$4 near4 (file document))) and (compar\$4 same (((document file) near3 type) and (id identification name))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 11:13
L30	6	(inbound same (timestamp\$2 and ((primary near2 (key code)) (file near2 (name type)))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:26
L31	8	((order near3 confirmation) and (order near3 delivery) and (invoice) and ((product inventory) near3 update\$2)and ((customer information) near3 update\$2)) and timestamp\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 11:16
L32	83	process\$4 near5 (document\$2 message\$2) near5 (sequence\$2 order\$2) near6 (regardless (timestamp\$2 (time adj stamp\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:29
L33	284	(((updat\$4 near4 (file document))) and (compar\$4 same (((document file) near3 type) and (id identification name)))) and (time timestamp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:22
`L34	707	(integrat\$4 and (back near3 office) and (web-based (web near3 based)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:26
L35	3	29 and 34 .	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:26
L36	83	process\$4 near5 (document\$2 message\$2) near5 (sequence\$2 order\$2) near6 (regardless (timestamp\$2 (time adj stamp\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:30

L37	19	36 and @ad<="20001030"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:30
L38	3344	(timestamp\$2 and ((primary near2 (key code)) (file near2 (name type))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 12:33
L39	6	(timestamp\$2 and ((primary near2 (key code)) (file near2 (name type)))) and (process\$4 same (time\$2 near3 sequen\$4) same (timestamp\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 13:01
L40	1062	715/500.1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 13:14
L41	4470	709/206,207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/28 13:14